

T: +852 25555 8377

BENETEAU OCEANIS 45

\$250,000 Year: 2018 | Length: 45.92 ft | Singapore





BENETEAU OCEANIS 45

OVERVIEW

Beneteau Oceanis 45 - Gloria

This 2018 Beneteau Oceanis 45 is one of three sister yachts we have available. A fantastic and unique opportunity offered by Simpson Marine.

Diligently maintained from new Gloria comes with a four cabin, two head layout that is perfect for families.

Fully equipped with an Onan Cummins genset, full air conditioning, extended cockpit canopy and an extensive navigation package this Beneteau Oceanis 45 is a fantastic yacht for families and charter companies alike.

Significant works carried out in 2024:

- New sails
- New electronics (wind, speed, depth, chart plotter)
- New swim platform actuators
- New Sailcovers and Bimini
- New interior cushion covers (faux leather)
- New audio system
- Full service on Gearbox / Saildrive
- Full service on engine and Generator
- New running Rigging

Berthed in Singapore and available immediately.

For more information contact Harvey Brewin at +65 9129 0433

MEASUREMENTS

Length: 45.92 ft

Beam: 14.75 ft

Yachting Freedom since 1984



Displacement:

PROPULSION	
Engine No: 1	

Engine Make: Yanmar

Engine Fuel Type: diesel

Engine Power: 57HP

CONSTRUCTION

Max Draft: 7.42 ft

BOAT DETAILS

CONSTRUCTION

- Design in accordance with European Directive requirements and according to CE certification
- · Monolithic hull design in polyester
- Monolithic structural inner moulding bonded to the hull
- · Injection moulded deck in glass fibre/balsa sandwich, covered with «diamond-point» non-slip coating
- \cdot Hull-deck join screwed, bonded and trimmed with 1 bulwark
- \cdot Cast iron keel fixed with bolts and stainless steel backing plates
- \cdot Rudder hung with glass composite stock
- · White coloured hull Grey metal hull graphics

DECK EQUIPMENT

RIGGING

Yachting Freedom since 1984



- · Standard mast 9/10 anodized aluminium installed on the deck, 2 aft-swept spreaders
- · Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- · 2 Backstays with bottlescrews
- Rigid boom vang with tackle
- \cdot Genoa furling system with drum on the deck
- \cdot 2 Stand Up blocks for mainsail on fixed composite arch
- \cdot 2 Genoa tracks with piston adjusted traveller cars
- · 2 Genoa sheet turning blocks
- Rigging run back to cockpit (except boom topping lift)

• Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 rapid reefing lines, 1 manual reef

- 7 Jammers
- · 2 halyard bags

WINCHES

- \cdot 2 Self-tailing genoa sheet winches (H50.2 STC)
- \cdot 2 Self tailing coachroof winches (H40.2 STC)
- $\cdot\,2$ Aluminium winch handles Speed Grip
- $\cdot\,2$ Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- \cdot Semi full batten written sail with slider and roller slider
- · System: Lazy Jack and Lazy Bag in Natural colour

MOORING LINES - MOORING

- \cdot Self-bailing chain locker Clench bolt Hatch cover
- \cdot Single roller stainless steel bow fitting with offset roller
- · 1 12 V 1000 W vertical electrical windlass Remote control
- · 6 Aluminium mooring cleats Stainless steel deck line protection

SAIL LOCKER

- · Access through deck hatch T60
- · Stainless steel ladder
- Shelving

SAFETY ON DECK

·1 Open stainless steel forward pulpit – Step



- · 2 Stainless steel pushpits
- ·1 Lifebuoys support bracket
- ·1 Outboard engine bracket
- \cdot Ring for flag welded on pushpit
- · Double guardrail and stainless steel stanchions Openings in guardrail to port and starboard

COCKPIT

- \cdot Self-draining cockpit
- · 2 Cockpit locker
- \cdot 2 Lockers in cockpit sole beneath helm's feet
- · 1 Liferaft locker under helm seat, in cockpit bottom (0,80 m x 0,40 m x 0,58 m / 2'7" x 1'4" x 1'11")
- $\cdot\,1\,\text{Gas}$ locker for bottle(s) under the port helm seat
- \cdot Natural solid wood slatted cockpit benches

· 2 Steering wheel consoles: Stainless steel steering wheels – 900 mm diameter – Leather covered – Steering gear at the helm station – metal cable transmission system – Stainless steel handrail – navigation instrument support (optional instruments) – Cup holder

- ·1 Deck filler for access to tiller system + Power supply access hatch
- •1Tiller
- $\cdot\,2$ Steering compass on binaccle
- \cdot Portside engine control and control panel
- · Polyester cockpit table 2 Leaves miscellaneous locker 2 Large storage space 2 Stainless steel handrails 12 V socket lamp with shade
- ·1 Cold water cockpit shower hose
- ·1 Fixed composite arch Integrated lights
- \cdot 2 Hinged PMMA companionway doors Sliding hatch made of PMMA

SWIM DECK / STERN DECK

- Fully opening transom, convertible to bathing platform (2,85 m x 0,77 m /9'4" x 2'6")
- Electrically controlled opening
- \cdot Natural solid wood decking on swim platform
- ·1 Stainless steel swim/boarding ladder solid wood steps folding

INTERIOR

- · Woodwork Alpi Mahogany
- Parquet type laminated floors
- · Fabric hull linings in saloon and cabins (White)
- Fabric upholstery
- \cdot Marine mattresses in the cabins

COMPANIONWAY

Yachting Freedom since 1984



- · Headroom: 2,00 m / 6'7"
- · Wooden saloon companionway with moulded wood suspended steps with non-slip surface
- · 2 Stainless steel handrails

SALOON

- · Headroom: 1,97 m / 6'6"
- · U shaped saloon bench double density foam
- · Central seating on pantograph
- · Saloon table in 1 piece Varnished wood top with inlay Aluminium legs
- \cdot Mirror on bulkhead
- \cdot Cupboards Shelves and stowage along the hull Storage under bench seats
- \cdot Shelves with stainless steel fiddles
- · 2 Panoramic deck house windows with concertina blinds
- · 2 Hull portholes with curtain
- · 2 Opening portholes on coaming in side windows
- ·1 Opening deck hatch with mosquito blind

CHART TABLE - PORT SIDE

- · Sliding, can be configured with the armchairs Placed against the forward bulkhead , against the galley or between the 2 mobile seats
- \cdot Table with flap Moulded wood fiddle
- \cdot Switch panel on bulkhead for access to electrical functions
- 1 Reading light

GALLEY - PORT SIDE

- Headroom: 2,00 m / 6'7"
- · L-shaped galley
- · Compact grey laminated worktop
- \cdot 1 Stainless steel sink 2 rectangular basins 1 Mixer tap with hot/cold water under pressure
- ·1 Gas cooker 2 burners Stainless steel oven on mountings Stainless steel protection handrail
- · 185L / 22 US Gal icebox, top opening
- · 1 130 L / 34 US Gal refrigerator (12V), front opening
- Fitted lockers and closed shelving (Shelving, Bin)
- · 1 Base cabinet: 1 Drawer 2 shelves
- $\cdot\,1\,\text{Opening}$ portlight with curtains in side windows in the coaming
- \cdot Storage space along the hull

STARBOARD AFT CABIN

- · Headroom: 1,96 m / 6'5''
- · 1 Double bed (2,05 m x 1,50 m x 1,15 m / 6'9" x 4'11" x 3'9") Marine mattress



- · Access door to starboard aft head
- · Cupboards Hanging locker Closed shelving
- Stowage on both sides of berth
- ·1 Hull portholes with curtain
- ·1 Cockpit windows with curtains
- · 1 Cockpit porthole with curtain
- ·1 Flush deck hatch with mosquito blind

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,88 m / 6'2"
- Access through saloon and the starboard aft cabin
- · Separate shower 1 Hot/cold water mixer tap
- 1 Manual toilet
- $\cdot\,1\,80$ L / 21 US Gal rigid holding tank
- \cdot Basin 1 Hot/cold water mixer tap
- \cdot Head cabinet
- 2 Mirrors
- Toilet accessories
- Cupboard
- $\cdot\,1\,\text{Opening}$ portlight with curtains in side windows in the coaming

2 cabins layout

AFT-GALLEY (PORT AFT)

- · Access via galley
- · Large storage area (Numerous cupboards, shelves, Drawers)
- Access door to port cockpit locker
- ·1 Flush deck hatch with mosquito blind

<u>3 cabins layout</u>

PORT AFT CABIN

- · Headroom: 1,96 m / 6'5"
- ·1 Double bed (2,05 m x 1,50 m x 1,15 m / 6'9" x 4'11" x 3'9")
- · Cupboard Hanging locker Closed shelving
- Stowage on both sides of berth
- 1 Hull porthole with curtain
- · 1 Cockpit porthole with curtain
- ·1 Flush deck hatch with mosquito blind



·1 Cockpit windows with curtains

FORWARD CABIN

- · Headroom: 1,89 m / 6'2"
- Central double bed (2,05 m x 1,50 m x 1,15 m / 6'9" x 4'11" x 3'9")
- · Hanger closets Valet tray Cubby hole locker Base cabinet Stowage under platform
- \cdot 3 Flush deck hatches with mosquito blind
- \cdot 2 Hull portholes with curtain

STARBOARD FORWARD HEAD COMPARTMENT

- · Headroom: 1,85 m / 6'1"
- \cdot Access through foward cabin
- Manual toilet
- · 1 64 L / 17 US Gal rigid holding tank
- Moulded basin Mixer shower (hot/cold water)
- · Separate shower 1 Hot/cold water mixer tap
- 1 Mirror
- \cdot Head cabinet
- \cdot Toilet accessories
- Cupboard
- $\cdot\,1\,\text{Flush}$ deck hatch with mosquito blind

ENGINE

- Engine Yanmar Diesel 57 hp/57 HP Common Rail, Sail Drive
- · Engine control Control panel in the port cockpit
- · Engine compartment: Soundproofing foam Ventilation: 1 air intake and 1 pressured air outlet
- · 1 Alternator 12 V / 125 Ah
- ·1 Rotomoulded diesel tank 200 L / 53 US Gal (under port aft berth) Electronic gauge Low level alarm 1 Deck filler
- · Filters: Sea water Diesel Water separator
- Fixed three blades propeller
- ·1 Engine access through companionway (opening with 2 gas struts) 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit
- · 2 service batteries (110 Ah) 1 Engine battery (110 Ah)
- 1 Power distributor
- · 12 V Electrical panel (Fuses Voltmeter Water gauge Fuel gauge Battery warning Fuel warning Water warning)



- ·112 V Sockets
- · Lighting: Overhead lights Reading lights White striplighting
- · Navigation lights: 1 Forward and aft navigation lights 1 Engine navigation light / Spreader light forward of mast 1 Anchor light on masthead
- \cdot Wire runs for options cables
- Full 220 V system (Interior sockets 220 V 25 Amperes battery charger Shore power socket)

PLUMBING

- ·1 Rotomoulded freshwater tank 330 L / 87 US Gal (Forward cabin) 1 Deck filler
- \cdot Pressurised electric water pump Expansion tank Inline filter
- \cdot 40 L / 11 US Gal Electric calorifier (engine start)
- \cdot 1 Rigid black water holding tank for each WC
- \cdot Delayed shower draining and electric shower drain pumps
- ·1 Electric bilge pump 1 Manual bilge pump
- \cdot 1 Electric ice box drain pump

GAS


- \cdot 1 Gas bottle box in the cockpit (Diameter 0,34 m x 0,53 m / 1'1" x 1'9")
- Regulator and safety tap

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.



T: +852 25555 8377













T: +852 25555 8377





