

# #DARETOEXPLORE WITH HIGHFIELD...

With 27,000 boats delivered globally since the brand's beginning in 2011, Highfield Boats is now the world's number one in the RIB tender sector and a global player in the 5 metre + sector.

Performance and strength have always been at Highfield's core. The brand has focussed on these two key values above anything else. Highfield's hulls are dry-riding, very seaworthy and always over-built. Their reputation for durability is now world-renowned. The heavy-duty approach to design and build allows leisure and commercial owners to have the confidence needed to go that extra mile and to tackle conditions avoided by many others.

As such, Highfield has been chosen time and again as the support boat of choice for prestigious events worldwide, with fleets up to 50 strong. From Vendee Globe to the Invictus Games, Pan Am Games, Extreme Sailing Series, ORC Championships, TP52 & The Route Du Rhum. Not only is this trust shown in Highfield's larger RIBs, but in their tenders too. Tender supply contracts to the likes of Lagoon paved the way for Highfield to become the supplier of choice for many charter operators, rental fleets and other highend shipyards such as Fountaine Pajot, Outremer and Leopard.

Sustainability is also a huge part of Highfield's DNA. All of the hulls and structures are built in aluminium, which is infinitely recyclable. In addition, Highfield powder coat in an enclosed area to ensure that their footprint remains low from the beginning of the manufacturing

process through to the end of each product's life.

With now over 45 distributor countries and a worldwide dealer network, you can be confident any support you need will always be on hand.



# **CONTENTS**

<b>Brand Timeline</b>	4
Ultralite Range	8.
lassic Range Overview	12-
Classic 260 & 290	14-
Classic 310 & 340	16-
Classic 360 & 380	18-
Classic Console Options	20-
Classic 420 & 460	22-
Sport Range Overview	24-
Sport 300, 330 & 360	26-
Sport 390 & 420	28-
Sport 460 & 520	30-
Sport 560	32-
Sport 600	34-
Sport 660	36-
Sport 700	38-
<b>Sport 760</b>	
Sport 900	42-
Patrol Range Overview	44-
Patrol 420 & 460	46-
Patrol 500	48-
Patrol 540	
Patrol 600	52-
Patrol 660	
Patrol 700	
Patrol 760	
Patrol 860	
Bank / Colour Schemes	62-

**Highfield Supports** Brand created with an Distributor Highfield enters **Highfield Boats** Highfield Boats supgroup grows, first Australian design and the smallest Pan Am games in plies 50 security RIBs ters into an Distributor meeting takes place in expertise, French/Chinese ownership. vessels into the Toronto alliance with to the Vendee Globe **Honda Marine** 1100 Nautical Mile Organisation for the "Round Ireland Challenge" start and finish of First boat show in La Rochelle. VG 2016 LA ROCHELLE NHIG! 112 113 2011






### THE

Itralite Range are single deck dinghies, created always keeping weight in mind. Their light weight make them a real alternative for those who may have chosen a soft bottom tender in the past but would prefer a hard hull for its performance. Ultralite tenders are roomy and strong, yet light

and easy to transport. These little boats can be launched and recovered by a single man and are easy to be transported on a roof rack. The Ultralite's are made of 2.5mm thick powder coated marine grade aluminium for the hull and 1100 Dtex fabric for the inflatable tube.

# BECAUSE WEIGHT DOES MATTER

# **ULTRALITE RANGE**









THE

lassic Range offers extra levels of comfort in this double deck hulled dinghy that will keep your feet dry.

The hulls of the Classics are built of 2.5mm thick powder coated marine grade aluminium. The tubes are

made of 1100 dtex coated fabric.

The high quality finish and luxury look belies the fact that this range of tenders has been designed to work hard. A durable aluminium hull coupled with full length keel guards make these ideal for those beach-hopping days with friends and family.

The optional FCT console or GT console options allow forward steering control for increased comfort and greater ease of navigation. These options offer a more luxurious tender experience whilst still keeping the weight down.

The large weight savings achieved compared to equivalent GRP

tenders means you'll enjoy impressive performance with smaller engines. All of this combined with excellent payload capacities means the Classic range really does offer a tender for everyone.

CLASSIC 260 & 290





#### STANDARD FEATURES

ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves

High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)

Bow locker (Fit 24L fuel tank)
Integrated transom supports

Removable seat

Lifting points and towing eyes
Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard

Tank strap kit
Under seat bag

Under seat bag Highfield dry bag Foot pump, oars, repair kit

**OPTIONAL EXTRAS** 

FRP Bow Step Molded bow cleat Bow cushion Boat cover

L260	(l

OVERALL LENGTH	260cm 8'6"		290cm	9′6
INTERNAL LENGTH	176cm 5′9″		206cm	6′9″
OVERALL WIDTH	170cm 5′7″		170cm	5′7″
INTERNAL WIDTH	79cm 2′7″		79cm	2′7″
DEADRISE	15°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3		3	
MAXIMUM LOAD	360kg	794lbs	480kg	1058lbs
MAXIMUM PEOPLE	3+	-1	4	
BOAT WEIGHT*	54kg	119lbs	59kg	130lbs
MAXIMUM POWER	15hp		20hp	
ENGINE SHAFT	S			S
DESIGN CATEGORY	С		С	

\* boat only




**CLASSIC** 310 & 340



Welded seams (PVC)





High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)
Integrated transom supports
Removable seat
Lifting points and towing eyes
Tow bridle points

STANDARD FEATURES
ORCA® Hypalon or PVC tube

Flush mount non-return valves

Tow bridle points
Brushed foam teak finish deck
Heavy duty rubbing strake
Full length keel guard
Tank strap kit
Under seat bag
Highfield dry bag
Foot pump, oars, repair kit

**OPTIONAL EXTRAS** 

FRP Bow Step Molded bow cleat Bow cushion Boat cover

\* see page 20

[1310

		•	\$71	
OVERALL LENGTH	310cm	10′2″	340cm	11′2″
INTERNAL LENGTH	226cm	7′5″	247cm	8′1″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	15°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3	3	3	
MAXIMUM LOAD	550kg	1213lbs	551kg	1215lbs
MAXIMUM PEOPLE	5	5	6	
BOAT WEIGHT**	62kg	137lbs	71kgs	157lbs
MAXIMUM POWER	20hp		25hp	
ENGINE SHAFT	S		S	
DESIGN CATEGORY	(	С		

\*\* boat only



CLASSIC 360 & 380





ORCA® Hypalon or PVC tube
Welded seams (PVC)
Flush mount non-return valves
High tensile chromated & powder coated aluminum hull
Bow locker (Fit 24L fuel tank)

Integrated transom supports
Removable seat

Lifting points and towing eyes
Tow bridle points
Brushed foam teak finish deck
Heavy duty rubbing strake
Full length keel guard

Full length keel gud Tank strap kit Under seat bag

Highfield dry bag Foot pump, oars, repair kit

#### OPTIONAL EXTRAS

Console Options\*
FRP Bow Step
Molded bow cleat
Bow cushion
Boat cover

\* (ee page 20

#### (OLOVR SCHEMES



360cm	11′10″	380cm	12′6″
267cm	8′9″	287cm	9′5″
170cm	5′7″	170cm	5′7″
79cm 2′7″		79cm	2′7″
15°		15°	
44cm	17"	44cm	17″
3	3	3	
561kg	561kg 1237lbs		1404lbs
ć	5	7	
75kg	165lbs	83kg	183lbs
30	hp	30hp	
S		(	5
С		С	
	267cm 170cm 79cm 1: 44cm 3 561kg 6 75kg	267cm 8'9"  170cm 5'7"  79cm 2'7"  15°  44cm 17"  3  561kg 1237lbs  6  75kg 165lbs  30hp  S	267cm     8'9"     287cm       170cm     5'7"     170cm       79cm     2'7"     79cm       15°     13       44cm     17"     44cm       3     3       561kg     1237lbs     637kg       6     75kg     165lbs     83kg       30hp     30       S     5

boat only









The FCT7 console package is a perfect addition to any Classic 310 up to Classic 380 model giving you an additional level of comfort and enjoyability for your day on the water. The rear bench seat with high backrest and closed cell foam cushions which won't hold water, are perfect for a comfortable day exploring. The console helm is an open style design giving you unprecedented legroom in a boat of its size while a carbon dash with LED switches and branded steering wheel add a dash of style. An electrical package including led flush mounted switch panel, navigation lights and bilge pump are all standard.

WEIGHT: 36kg / 80lbs (APA(ITY: 1001 / 3.5 cu ft



The NEW "Grand Tour" GT version console option combines lightweight and performance of the Classic line but with more comfort and styling from the luxury Sport boats for a perfect combination of releability and styling. The Classic GT is available for CL340 and up, turning the Classic into an easy handling runabout, perfect for having fun when you've anchored for lunch.

(ONSOLE WEIGHT: 25.5kg / 56lbs FOLDING SEAT WEIGHT: 20kg / 45lbs

CLASSIC 420 & 460



(OLOUR SCHEMES

**STANDARD FEATURES** 

ORCA® Hypalon or PVC tube Welded seams (PVC)

Flush mount non-return valves

High tensile chromated & powder coated aluminum hull

Self-draining deck Bow locker

Console & Seat

Carbon dash for console FRP Bow Step & bow cushion

Integrated transom supports Lifting points and towing eyes Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard

Tank strap kit Highfield dry bag

Foot pump, oars, repair kit Electrical packs for boat & console

**OPTIONAL EXTRAS** 

Roll bar Boat cover

OVERALL LENGTH	421cm 13′10″		461cm	15′2″	
INTERNAL LENGTH	317cm 10′5″		361cm	11′10″	
OVERALL WIDTH	210cm 6′11″		209cm	6′10″	
INTERNAL WIDTH	105cm 3′5″		108cm	3′7″	
DEADRISE	20	O°	20°		
TUBE DIAMETER	47cm	19"	47cm	19"	
NUMBER OF AIR CHAMBERS	4		5		
MAXIMUM LOAD	823kg 1814lbs		944kg	2081lbs	
MAXIMUM PEOPLE	3	3	9		
BOAT WEIGHT*	204kg 450lbs		227kg	500lbs	
MAXIMUM POWER	60hp		80hp		
ENGINE SHAFT	L		L		
FUEL TANK (LITRES)	401		4	01	
DESIGN CATEGORY		,	C		







#### THE

port range has been 9 years in the making. This range of high quality boats offers a choice from 3 metres up to 8 metres and combines all of our Hull design expertise with an interior that you demand.

Nothing has been sacrificed in the design of this


range. Top quality materials are the hallmark of what we do and we have not compromised.

Hull deadrise angles ranging from 20 degrees on the 3 metre going through to a huge 26 degrees on the 650 and up will give you assurance in the toughest conditions but the additions

such as EVA teak throughout, integrated fuel tanks, superb diamond stitched upholstery and bathing platforms on our larger models will allow you to enjoy each day to the maximum. With the impermeable qualities of our aluminium hulls there's no need to worry about gelcoat chips, or putting the boat on a beach or trailer.

All Highfield Sport RIBs are easy to tow, launch and recover due to their light weight and integrated davit lifting eyes. Your Sport will not delaminate or absorb water over time, retaining the same agile performance in 10 years time as the day you collected it.

# **SPORT** 300-360



#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves - High tensile chromated &
- powder coated aluminum hull
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Electrical pack for boat & console
- Carbon dash for console

#### **OPTIONAL EXTRAS**

- Boat cover
- Sundeck (330 up) Tow post (330 up)

#### (OLOUR SCHEMES



	,,,	/	,, , , , , , , , , , , , , , , , , , ,		717	
OVERALL LENGTH	300cm	9′10″	336cm	11′	362cm	11'11"
INTERNAL LENGTH	180cm	5′11″	204cm	6′8″	236cm	7′9″
OVERALL WIDTH	183cm	6′	182cm	6′	184cm	6′
INTERNAL WIDTH	84cm	2′9″	90cm	2′11″	92cm	3′
DEADRISE	20° 20		0°	20°		
TUBE DIAMETER	43cm	17"	43cm	17"	43cm	17"
NUMBER OF AIR CHAMBERS	3	3	3		3	
MAXIMUM LOAD	464kg	1023lbs	549kg	1211lbs	634kg	1398lbs
MAXIMUM PEOPLE	4		5		6	
BOAT WEIGHT*	175kg	385lbs	199kg	439lbs	215kg	473lbs
MAXIMUM POWER	30	hp	30hp		40hp	


TRUE LIGHTWEIGHT LUXURY. OUR SMALLEST SPORT MODELS MAKE THE IDEAL TENDER, SMALL ENOUGH TO SIT ON THE BACK OF MOST CRUISERS. SMALL AND NIMBLE, BUT WITH ENOUGH ROM TO CARRY EVERYTHING YOU NEED FOR A DAY ON THE WATER.

HIGHFIELD



ENGINE SHAFT FUEL TANK (LITRES)

# **SPORT** 390-460





- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
   High tensile chromated &
- powder coated aluminum hull
- Self-draining deck (SP420 up)
- Integrated rear seat with cushion
- Integrated transom supports
  Lifting points and towing eyes
  Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit
   Electrical pack for boat & console
- Carbon dash for console

#### **OPTIONAL EXTRAS**

- Boat cover - Sundeck
- Tow post
- Roll bar
- Forward arch

#### (OLOUR SCHEMES

CARLIBIALD



	SP	390	SP420		SP4	60
OVERALL LENGTH	390cm	12′10″	424cm	13′11″	460cm	15′1″
INTERNAL LENGTH	250cm	8′2″	272cm	8′11″	291cm	9′7″
OVERALL WIDTH	192cm	6′4″	205cm	6′9″	209cm	6′10″
INTERNAL WIDTH	92cm	3′	108cm	3′7″	108cm	3′7″
DEADRISE	20°		20°		20°	
TUBE DIAMETER	47cm	19"	47cm	19"	47cm	19"
NUMBER OF AIR CHAMBERS	3	3	4		5	
MAXIMUM LOAD	716kg	1579lbs	791kg	1744lbs	912kg	2011lbs
MAXIMUM PEOPLE	7	7	8		9	
BOAT WEIGHT*	226kg	497lbs	309kg	6811bs	332kg	731lbs
MAXIMUM POWER	60hp		70hp		90hp	
ENGINE SHAFT	L		L		L	
FUEL TANK (LITRES)	30l		551		55	







#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes
- Heavy duty rubbing strake
- Highfield dry bag
- Foot pump & repair kit - Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder (520)

#### **OPTIONAL EXTRAS**

- Boat cover
- Sundeck
- Tow post
- Roll bar
- Forward arch

#### (OLOUR SCHEMES



OVERALL LENGTH	523cm	17′2″	
INTERNAL LENGTH	343cm 11′3″		
OVERALL WIDTH	246cm 8′1″		
INTERNAL WIDTH	130cm 4′3″		
DEADRISE	24°		
TUBE DIAMETER	52cm	20″	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1058kg 2332l		
	10		
MAXIMUM PEOPLE	1	0	
MAXIMUM PEOPLE BOAT WEIGHT*	1 516kg	0 1136lbs	
		1136lbs	
BOAT WEIGHT*	516kg	1136lbs )hp	









- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull - Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes
- Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit
- Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder

#### **OPTIONAL EXTRAS**

- Boat cover
- Sundeck
- Tow post
- Roll bar - Bimini



566cm	18′7′′	
382cm 12'6"		
250cm 8'3''		
135cm	4′5′′	
24°		
52cm	20′′	
6		
1188kg	2619lbs	
12		
581kg	1280lbs	
115hp		
XL		
1051		
C		
	382cm 250cm 135cm 24 52cm 6 1188kg 1 581kg	

\*smaller tube diameter available \*\* boat, console & standard seating only





#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion

- Integrated transom supports
  Lifting points and towing eyes
  Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck
- Roll bar
- Shower kit

#### **OPTIONAL EXTRAS**

- Bimini

#### (OLOVR SCHEMES



OVERALL LENGTH	616cm	20′3′′	
NTERNAL LENGTH	437cm	14'4"	
OVERALL WIDTH	249cm	8′2′′	
INTERNAL WIDTH	132cm	4'4''	
DEADRISE	26°		
TUBE DIAMETER*	56cm	22''	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1458kg	3214lbs	
MAXIMUM PEOPLE	1	4	
BOAT WEIGHT**	694kg	1530kg	
MAXIMUM POWER	150	)hp	
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	С		
11 L   12 L   21   \$\$   L   11		15 1	

smaller tube diameter available \*\* boat, console, roll-bar & standard seating only





#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes - Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag Foot pump & repair kit
- Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck
- Roll bar
- Shower kit

#### **OPTIONAL EXTRAS**

- Bimini

#### (OLOVR SCHEMES



OVERALL LENGTH	651cm	21′4′′	
INTERNAL LENGTH	475cm 15′7″		
OVERALL WIDTH	259cm 8′6′′		
INTERNAL WIDTH	135cm	4′5′′	
DEADRISE	26°		
TUBE DIAMETER	58cm	23′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1287kg	2837lbs	
MAXIMUM PEOPLE	13		
BOAT WEIGHT*	740kg	1631lbs	
MAXIMUM POWER	200hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	С		

<sup>\*</sup> boat, console, roll-bar & standard seating only







(OLOVR SCHEMES

### STANDARD FEATURES - ORCA® Hypalon or PVC tube

- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag Foot pump & repair kit - Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck
- Roll bar
- Shower kit

#### **OPTIONAL EXTRAS**


	K HVLL
	K TVB€
	UPHOLSTERY

OVERALL LENGTH	719cm	23′7′′
INTERNAL LENGTH	538cm	17′8″
OVERALL WIDTH	293cm	9′7′′
INTERNAL WIDTH	170cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1503kg	3312lbs
MAXIMUM PEOPLE	14	
BOAT WEIGHT**	1023kg	2255lbs
MAXIMUM POWER	250hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	С	

<sup>\*</sup> boat, console, standard seating, platform & shower kit only



**SPORT 760** 





- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated &
   powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
  Lifting points and towing eyes
  Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit Electrical pack for boat & console
- Carbon dash for console - Platform with ladder
- Sundeck
- Roll bar
- Shower kit
- Fridge

#### **OPTIONAL EXTRAS**

#### (OLOUR SCHEMES




OVERALL LENGTH	760cm	25′
INTERNAL LENGTH	590cm 19′4″	
OVERALL WIDTH	288cm 9'6''	
INTERNAL WIDTH	170cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1753kg	3865lbs
MAXIMUM PEOPLE	16	
BOAT WEIGHT**	980kg	2161lbs
MAXIMUM POWER	300hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	C or B	

<sup>\*</sup> boat, console, standard seating, platform & shower kit only





**SPORT 900** 





#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard Highfield dry bag
- Foot pump & repair kit - Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck
- Shower kit
- Fridge Table
- AL Console Top

#### **OPTIONAL EXTRAS**

- Stern bimini
- Roll bar
- Tow post



OVERALL LENGTH	912cm	29′11″
INTERNAL LENGTH	699cm	22′11″
OVERALL WIDTH	310cm	10′2′′
INTERNAL WIDTH	184cm	6′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	2430kg	5357lbs
MAXIMUM PEOPLE	19	
BOAT WEIGHT*	1820kg	4011lbs
MAXIMUM POWER	2 x 300hp	
ENGINE SHAFT	XL	
FUEL TANK	430l	
DESIGN CATEGORY	С	

<sup>\*</sup> boat, console, standard seating, sundeck & roll bar only













THE

atrol range of commercial quality RIBs are designed to work both excellently as a long distance family cruiser or a hardcore work boat. Built to withstand the toughest of conditions.

The hull is built from 5083 aluminium plates with 6

and 10mm stringers. With their super deep V, wide chines and large diameter tube, they offer high manoeuvrability, high safety and a soft dry ride even in the roughest conditions.


The range offers something for almost every requirement, from Sailing club support to Police and Rescue applications.

The Patrol boats carry large loads and plane quickly and easily with little horse-power. For charter boat and commercial operators, the modular set-up option means that we can build a layout that suits your needs. These boats are ideal pursuit craft or work boats and can be configured with different seating and console options.

When safety, toughness & reliability really matter, the Patrol range should be your first port of call.

With MCA rating & commercial coding available, the Patrol range is perfect for commercial chartering or working offshore too.





#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake - Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options Rear tow post Roll Bar
- Brushed foam teak finish deck

## (OLOUR SCHEMES




	PA420		PA460	
OVERALL LENGTH	421cm	13′10″	459cm	15′1″
INTERNAL LENGTH	317cm	10′5″	353cm	11′7″
OVERALL WIDTH	210cm	6′11″	211cm	6′11″
INTERNAL WIDTH	105cm	3′5″	105cm	3′5″
DEADRISE	20°		20°	
TUBE DIAMETER	47cm	19"	47cm	19"
NUMBER OF AIR CHAMBERS	4		5	
MAXIMUM LOAD	823kg	1814lbs	944kg	2081lbs
MAXIMUM PEOPLE	8		9	
BOAT WEIGHT*	252kg	556lbs	286kg	631lbs
MAXIMUM POWER	60hp		80hp	
ENGINE SHAFT	L		I	L
FUEL TANK (LITRES)	401		4	01

<sup>\*</sup> boat, console & roll-bar only









#### **STANDARD FEATURES**

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves - High tensile chromated & powder
- coated aluminum hull
- Integrated transom supports
- Self-draining deck Integrated under-deck fuel tank (40L) - Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard Highfield dry bag - Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options Rollbar Rear tow post
- Transom ladder
- Dive rack

# - Brushed foam teak finish deck

#### (OLOUR SCHEMES




500cm	16′5′′
416cm 13′8′′	
228cm 7′6′′	
120cm 3′11′′	
24°	
52cm	20′′
6	
1051kg	2317lbs
10	
441kg	972lbs
100hp	
XL	
901	
С	
	416cm 228cm 120cm 24 52cm 6 1051kg 1 441kg

<sup>\*</sup> boat, console, standard seating & roll-bar only









- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion - Electrical pack for console
- Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options
- Rollbar T-Top Dive rack
- Transom ladder - Brushed foam teak finish deck

## (OLOVR S(HEMES




OVERALL LENGTH	540cm	17′9′′	
INTERNAL LENGTH	430cm	14′1′′	
OVERALL WIDTH	248cm	8′2′′	
INTERNAL WIDTH	133cm	4'4''	
DEADRISE	24°		
TUBE DIAMETER	52cm	20′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1262kg	2782lbs	
MAXIMUM PEOPLE	12		
BOAT WEIGHT*	494kg	1089lbs	
MAXIMUM POWER	115hp		
ENGINE SHAFT	XL		
FUEL TANK	1051		
DESIGN CATEGORY	(		

<sup>\*</sup> boat, console, standard seating & roll-bar only









- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options
- Rollbar T-Top Dive rack
- Transom ladder Roll bar with ladder
- Brushed foam teak finish deck

#### (OLOVR S(HEMES




VERALL LENGTH	616cm	20′3′′
NTERNAL LENGTH	437cm 14′4″	
VERALL WIDTH	249cm 8′2′′	
NTERNAL WIDTH	132cm	4′4′′
EADRISE	26°	
UBE DIAMETER*	56cm	22''
IUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1458kg	3214lbs
NAXIMUM PEOPLE	14	
OAT WEIGHT**	694kg	1530lbs
NAXIMUM POWER	150hp	
NGINE SHAFT	XL	
UEL TANK	1401	
ESIGN CATEGORY	С	

\*smaller tube diameter available \*\* boat, console, roll-bar & standard seating only









- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options Rollbar T-Top Dive rack
- Transom ladder Roll bar with ladder
- Brushed foam teak finish deck

#### (OLOVR S(HEMES




OVERALL LENGTH	651cm	21′4′′	
INTERNAL LENGTH	475cm	15′7″	
OVERALL WIDTH	259cm 8'6''		
INTERNAL WIDTH	135cm	4′5′′	
DEADRISE	26°		
TUBE DIAMETER	58cm	23′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1287kg	2837lbs	
MAXIMUM PEOPLE	13		
BOAT WEIGHT*	740kg	1631lbs	
MAXIMUM POWER	200hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	С		

<sup>\*</sup> boat, console, roll-bar & standard seating only



PATROL 700





STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supportsSelf-draining deck
- Integrated under-deck fuel tank - Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options Rollbar T-Top Dive rack
- Roll bar with ladder
- Brushed foam teak finish deck

### (OLOVR S(HEMES



719cm	23′7′′	
538cm	17′8″	
293cm	9′7′′	
169cm	5′7′′	
26°		
58cm	23′′	
6		
1503kg	3312lbs	
14		
1023kg	2255lbs	
250hp		
XL		
2851		
	538cm 293cm 169cm 26 58cm 6 1503kg 1 1023kg 256 X	

<sup>\*</sup> boat, console, standard seating, platform & shower kit only


LAYOUT & WIDE BEAM MAKE THE PA700













- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull

- Integrated transom supportsSelf-draining deckIntegrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck - Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options
- Rollbar Dive rack
- T-Top / XL T-Top
- Brushed foam teak finish deck
- Roll bar with ladder

#### (OLOVR SCHEMES




OVERALL LENGTH	760cm	25′
INTERNAL LENGTH	590cm 19′4	
OVERALL WIDTH	288cm	9'6''
INTERNAL WIDTH	169cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1753kg	3865lbs
MAXIMUM PEOPLE	16	
BOAT WEIGHT*	980kg	2161lbs
MAXIMUM POWER	300hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	C or B	

<sup>\*</sup> boat, console, standard seating, & roll-bar kit only











#### **STANDARD FEATURES**

- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deckIntegrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points - Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit - Carbon dash
- Bow cushion
- Electrical pack for console - Electrical pack for boat

#### **OPTIONAL EXTRAS**

- Console & seat options Rollbar Roll bar with ladder
- T-Top / XL T-Top
- Brushed foam teak finish deck
- Dive rack

#### (OLOVR S(HEMES



860cm	28′3″
631cm	20′8″
310cm	10′2′
184cm	6′
26°	
58cm	23′′
6	
2106kg	4643lbs
20	
1392kg	3069lbs
2 x 300hp	
XL / UL	
430l	
C or B	
	631cm 310cm 184cm 26 58cm 6 2106kg 2 1392kg 2 x 3 XL /

<sup>\*</sup> boat, console, standard seating, & roll-bar kit only





# ULTRALITE

VL220 & VL240







# CLASSIC

(1260 & (1290







(1340-380 GT (ONSOLE







## **PATROL**





















## **SPORT**









